

SINCE 1969

IRURENA

— WOOD COATINGS —


IRUKOL



CAOBA INGLÉS
TPR-38.001



PALISANDRO
TPR-38.007



PINO
TPR-38.002



NOGAL ROJIZO
TPR-38.008



NOGAL
TPR-38.003



CAOBA
TPR-38.009




SAPELY
TPR-38.004



NOGAL ÉBANO
TPR-38.010




AMARANTO
TPR-38.005



WENGUE
TPR-38.011




PERAL
TPR-38.006




ARENA
TPR-38.012



CAOBILLA
TPR-38.013 (38.007+38.009)



GRIS CENIZA
TPR-38.019




NOGAL OSCURO
TPR-38.014 (38.008+38.011)



EMBERO
TPR-38.020 (38.008+38.002)



ROBLE
TPR-38.015 (38.003+38.002)




MERISIER
TPR-38.021 (38.008+38.004)



CASTAÑO
TPR-38.016 (38.007+38.002)



NOGAL VERDOSO
TPR-38.022 (38.011+38.002)



ÉBANO
TPR-38.017 (38.010+38.011)



AVELLANA
TPR-38.023 (38.002+38.004)



BLANCO
TPR-38.018



CEREZO
TPR-38.024 (38.002+38.009)

IRUKOL

SERIE 38.000

TINTES CONCENTRADOS UNIVERSALES IRUKOL SERIE 38.500

Los tintes al uso de la carta IRUKOL "Serie 38.000" se obtienen al diluir 1 parte de nuestras bases concentradas IRUKOL "Serie 38.500" con 10 partes de DILUYENTE.

Dichas bases concentradas, una vez combinadas con nuestros diversos DILUYENTES, dan lugar a una gran diversidad de procesos de tinte. Teñidos uniformes al usar diluyentes de secado rápido, teñidos a poro marcado cuando usamos determinados diluyentes de lenta evaporación, teñidos exentos de COV's al diluir simplemente con agua y por fin, posturas intermedias al diluir con diluyentes hidroalcohólicos.

TINTES AL USO IRUKOL SERIE 38.000

La nueva gama de tintes IRUKOL "Serie 38.000" aporta soluciones directas al teñido de la madera, realizando su belleza natural, adaptándose con suma facilidad a todos los sistemas convencionales de aplicación (brocha, pistola, inmersión, rodillo, etc.).

Algunos colores de la carta se obtienen por mezcla a partes iguales de otros dos (ver mezclas entre paréntesis).

A pesar de ir protegidos con un proceso acrílico inalterable a la luz, los tintes de esta carta pueden sufrir ligeras alteraciones con el paso del tiempo, por lo que solo deben tenerse como una referencia meramente orientativa.

CARACTERÍSTICAS

No levantan la pincha de la madera.
Tonos intensos, óptima transparencia.
Resistentes al sangrado.
Posibilidad de mezclado entre sí.
Facilidad de aplicación.

DILUYENTES

D-91
Diluyente evaporación rápida
D-122
Diluyente hidroalcohólico
D-53
Diluyente evaporación lenta

ENVASADOS

Los tintes IRUKOL "Serie 38.500" se presenta en cajas de 6 unidades de 1 lt.
Además existe la posibilidad de pedir estos mismos tintes al uso, denominados IRUKOL "Serie 38.000" en envases de 5 y 20 lt.

IRUKOL

SERIE 38.000

IRUKOL SERIES 38.500 UNIVERSAL DYE CONCENTRATES

IRUKOL "Series 38.000" chart ready-to-use dyes are obtained by diluting 1 part IRUKOL "Series 38.500" concentrate base to 10 parts THINNER.

When combined with our different THINNERS, these concentrated bases can produce a wide variety of styles. Uniform staining when using quick-drying thinners, highlighted pore staining when using specific slow-evaporation thinners, VOC-free staining when simply diluting with water, and, finally, intermediate staining when diluting with hydroalcoholic thinners.

IRUKOL SERIES 38.000 READY-TO-USE DYES

The new range of IRUKOL "Series 38.000" dyes offers a direct solution for wood staining, enhancing the natural beauty of the wood and adapting perfectly to all conventional application systems (brush, spray gun, dipping, roller, etc.).

Some chart colours are obtained by mixing two others in equal parts (see mixes in brackets).

Despite being protected by a lightfast acrylic process, the dyes in this chart may change slightly over time, meaning the reference should only be used for orientation purposes.

CHARACTERISTICS

Do not cause splintering.
Intense shades, optimal transparency.
Bleed-resistant.
Can be mixed together.
Easy to apply.

THINNERS

D-91
Fast-evaporating thinner
D-122
Hydroalcoholic thinner
D-53
Slow-evaporating thinner

FORMAT

IRUKOL "Series 38.500" dyes are presented in cases of 6 one-litre units.
Ready-to-use dyes can be ordered as IRUKOL "Series 38.000" in 5 and 20 lt. cans.



IRURENA GROUP

www.irurenagroup.com